

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	broker near10 brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:31
L2	8	broker same brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:43
L3	1	"5,870,605".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:38
L4	35	broker same (without "does not" "with out") adj broker	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:45
L5	33	4 not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:57
L6	14	(static\$4 and dynamic\$4) near (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:00
L7	1	6 and (one-to-one or one adj to adj one)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:22
L8	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
L9	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
S1	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 12:18
S2	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 12:31

EAST Search History

S3	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S4	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:01
S5	299	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:02
S6	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:13
S7	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S8	5	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S9	270	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:52
S10	33	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:53
S11	272	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S12	529747	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S13	299	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S14	62	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:39

EAST Search History

S15	49	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S16	24	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S17	3585	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S18	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S19	662	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S50	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:15
S52	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17
S53	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17
S54	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S55	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S56	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S57	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27

EAST Search History

S58	366	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S59	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S60	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S61	14	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S62	342	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S63	40	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S64	328	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S65	578022	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S66	366	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S67	96	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S68	62	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S69	31	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27

EAST Search History

S70	4127	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S71	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S72	757	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S73	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S74	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S75	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S76	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S77	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S78	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S79	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S80	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S81	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S82	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S83	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S84	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S85	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S86	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S87	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S88	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S89	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S90	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S91	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S92	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S93	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S94	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S95	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S96	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S97	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S98	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S99	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 0	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 1	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 2	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 3	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 4	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 5	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S10 6	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 7	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 8	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 9	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 0	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 1	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 2	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 3	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 4	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 5	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 6	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S11 7	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S11 8	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 9	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S12 0	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/22 15:22